

free pattern

# Eagle Pass



- BY STEPHANIE SHERIDAN
- FINISHED SIZE 50" X 66"








## Soaring Heights

*Danny O'Priscoll*

## CUTTING INSTRUCTIONS


*WOF = Width of fabric | HST = Half Square Triangle / \*Sew strips via short ends, then subcut as indicated in pattern*

	<b>EAGLE PANEL</b> A 6987-99 <i>Multi</i>	1 Panel	<i>Fussy cut</i> 22-1/2" X 40-1/2"		<b>ARTISAN WEAVE</b> F 6992-70 <i>Parchment</i>	1 YD	(6) 5" X WOF strips, subcut (26) 5" squares and (22) 5" squares crosscut once to make (44) HST
	<b>EAGLES AND SKY</b> B 6988-39 <i>Sunset</i>	3/8 YD	<i>Fussy cut (on point)</i> (6) 6-1/8" squares		<b>EARTH ELEMENTS</b> G 6993-12 <i>Licorice</i>	1/2 YD	(3) 5" X WOF strips, subcut (18) 5" squares crosscut once to make (36) HST
	<b>EAGLES AND EARTH</b> C 6989-77 <i>Brown</i>	1/4 YD	(1) 6-1/8" X WOF strip, subcut (4) 6-1/8" squares		<b>EARTH ELEMENTS</b> H 6993-44 <i>Forest</i>	3/8 YD	(7) 1-1/2" X WOF strips*, SASHING
	<b>BARK</b> D 6991-77 <i>Brown</i>	2/3 YD	(4) 5" X WOF strips, subcut (26) 5" squares		<b>EARTH ELEMENTS</b> J 6993-86 <i>Rust</i>	7/8 YD	(2) 6-1/8" X WOF strips, subcut (10) 6-1/8" squares (7) 2-1/4" X WOF strips*, BINDING
	<b>ARTISAN WEAVE</b> E 6992-40 <i>Spruce</i>	1/8 YD	(2) 1-1/2" X WOF strips, BORDER				


**BLOCK ASSEMBLY:** Refer to **BLOCK DIAGRAMS** and **BLOCK IMAGES** for proper fabric placement and rotation.

1. **BLOCK 1A:** Find the center of (1) F HST and of one side of C square. Place right sides together, lining up centers, pin, then sew and press. Repeat on remaining (3) sides with (2) F HSTs and (1) G HST. Square to 8-1/2", being careful to leave 1/4" seam allowance beyond the points of the C square, make (1).
2. As in Step 1, and using the **BLOCK IMAGES** for proper fabric placement, make **BLOCKS 1B, 1C, 1D** with C center, **BLOCK 2** with J center, and **BLOCKS 3A, 3B, 3C, and 3D** with B center. Square all to 8-1/2", make number indicated on **BLOCK IMAGES**.
3. **BLOCK 4:** Draw diagonal line on the wrong side of F 5" squares. Place (1) F 5" square right sides together with (1) D 5" square. Sew 1/4" on either side of diagonal line, then cut on drawn line. Press open and square to 4-1/2" to complete **BLOCK 4**. Make (52).

### BLOCK DIAGRAMS



### BLOCK IMAGES



**QUILT ASSEMBLY:** Refer to **QUILT DIAGRAM** for proper block placement and rotation.

4. Sew (1) E 1-1/2" X 40-1/2" strip to each side of A 22-1/2" X 40-1/2" panel to create **QUILT CENTER**.

- Sew following blocks into rows to create **INNER BORDER UNITS**, then sew to **QUILT CENTER**:  
 LEFT SIDE: BLOCK 2 - BLOCK 3B - BLOCK 2 - BLOCK 3B - BLOCK 2  
 RIGHT SIDE: BLOCK 2 - BLOCK 3C - BLOCK 2 - BLOCK 3C - BLOCK 2  
 TOP: BLOCK 1A - BLOCK 2 - BLOCK 3A - BLOCK 2 - BLOCK 1B  
 BOTTOM: BLOCK 1C - BLOCK 2 - BLOCK 3D - BLOCK 2 - BLOCK 1D
- Sew (1) **H 1-1/2" X 56-1/2"** strip to each side of quilt.
- Sew together (14) **BLOCK 4s** to create **SIDE OUTER BORDER UNITS**. Make (2), then sew to sides of quilt.
- Sew (1) **H 1-1/2" X 50-1/2"** strip to top and bottom of quilt.
- Sew together (12) **BLOCK 4s** and (2) **H 1-1/2" X 4-1/2"** strips to create **TOP/BOTTOM OUTER BORDER UNITS**. Make (2), then sew to top and bottom of quilt.

**EAGLE PASS  
 QUILT DIAGRAM  
 50" X 66"**



*Note: If this Benartex pattern is included in a kit, any questions about the kit should be addressed to the vendor from whom you bought it.*

Share your finished quilt with the Benartex community on social media by tagging #benartex\_fabrics!

Also visit our Facebook Sewing Group, Sew Interesting.



**FINISHING:**

Cut batting and backing 3" larger than top on all sides. Layer backing, batting and top together and baste or pin. When quilting is completed, trim excess batting and backing. Bind with **G** fabric.